



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/710,890	08/11/2004	Chia-Yi Liu	PIIP0007USA	4889
27765	7590	08/18/2008		
NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION				
P.O. BOX 506				
MERRIFIELD, VA 22116				
EXAMINER				
KOZIOŁ, STEPHEN R				
ART UNIT		PAPER NUMBER		
2624				
NOTIFICATION DATE		DELIVERY MODE		
08/18/2008		ELECTRONIC		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

winstonhsu.uspto@gmail.com

Patent.admin.uspto.Rcv@naipo.com

mis.ap.uspto@naipo.com.tw

# Office Action Summary

**Application No.**

10/710,890

**Applicant(s)**

LIU ET AL.

**Examiner**

STEPHEN R. KOZIOL

**Art Unit**

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 23 May 2008.  
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-10 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-10 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☒ The drawing(s) filed on 08/11/2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☒ All b) ☐ Some \* c) ☐ None of:  
1. ☒ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☐ Information Disclosure Statement(s) (PTO/CDC)  
4) ☐ Interview Summary (PTO-413)  
5) ☐ Notice of Informal Patent Application  
6) ☐ Other: \_\_\_\_\_  
Paper No(s)/Mail Date \_\_\_\_\_

Detailed Action

1. Amendments and Remarks filed May 23, 2008 have been entered and considered, but are not fully persuasive. Claim 7 has been amended. Claims 1-10 remain.

***Response to Arguments***

2. Applicants' amendments filed May 23, 2008 have overcome the following previously outstanding rejections:

- 35 U.S.C. 112 second paragraph rejection of claims 7-10 as indefinite.

3. *Summary of Applicants' Remarks*

Applicants traverse the following grounds of rejection:

- claims 1 and 3-6 under 35 USC § 103(a) over Venkat et al. U.S. Patent No. 6,462,330, in view of Nakayama et al. U.S. Patent No. 6,148,097;
- Claims 7 and 9 under 35 USC § 102(b) as being anticipated by Hanabusa et al. U.S. Pre-Grant Application Publication 2002/0145752 A1;
- Claim 2 under 35 U.S.C. 103(a) as being unpatentable over Venkat et al. U.S. 6,462,330 B1, in view of Nakayama et al. U.S. 6,148,097 A1, further in view of Choo, U.S. Pre-Grant Application Publication 2004/0017500 A1; and
- Claims 8 and 10 under 35 U.S.C. 103(a) as being unpatentable over Hanabusa et al. U.S. Pre-Grant Application Publication 2002/0145752 A1.

*Response to Applicants' Remarks:*

Regarding independent claim 1, the combination of Venkat in view of Nakayama is interpreted to teach each and every limitation of at least claim 1. Applicants' submit that neither

Venkat nor Nakayama teaches the limitation of “a distance-adjusting module, coupled to the base and the image-analyzing module, for controlling the adjustment device to adjust the distance between the lens and the optical sensor according to the analyzed result.” Examiner respectfully disagrees. Nakayama establishes using an image analyzed result (the reference frame F of column 44 lines 56-64) to make various adjustments to the imaging means to better view the image analyzed result (Nakayama, Figure 55 and column 44 lines 33-64). Venkat improves upon the system of Nakayama by teaching that such an adjustment to the imaging means to better view the image can be an adjustment to the distance between a lens and the optical sensor (Venkat column 3 lines 25-30). Both Nakayama and Venkat are in the field of optical imaging devices, so they may be properly combined. Accordingly, the combination of Nakayama and Venkat is interpreted to teach the limitation of “a distance-adjusting module, coupled to the base and the image-analyzing module, for controlling the adjustment device to adjust the distance between the lens and the optical sensor according to the analyzed result” as indicated above.

Regarding independent claim 7, Hanabusa et al. is interpreted to teach each and every limitation of at least claim 7. Applicants’ submit that Hanabusa fails to teach or suggest the limitation of “adjusting the distance between the lens and the optical sensor according to the FD...wherein the FD represents focus-value measure based on difference.” Examiner respectfully disagrees. In order to better focus an image, Hanabusa teaches focusing means to adjust the distance from the lens to the image forming plane in order to make the image forming plane coincide with the surface of the image sensor (Hanabusa ¶0184). By making the image forming plane coincide with the surface of the image sensor and adjusting the distance from the lens to the image forming plane, Hanabusa effectually adjusts the distance between the lens and

the image sensor based on a unfocused difference measurement (i.e. the present, less than optimally focused distance between the lens and the image sensor). Accordingly Hanabusa may be fairly interpreted to teach the limitation of “adjusting the distance between the lens and the optical sensor according to the FD...wherein the FD represents focus-value measure based on difference” as required by presently amended independent claim 7.

*Conclusion*

The previously outstanding grounds of rejection of claims 1-10 under 35 USC § 102 and 35 USC § 103 are maintained for at least the reasons indicated supra.

***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims (7 and 9) are rejected under 35 U.S.C. 102( b ) as being anticipated by Hanabusa et al., hereinafter Hanabusa, U.S. Pre-Grant Publication 2002/0145752 A1 for the reasons indicated in the previous Office action.

Regarding claim 7 Hanabusa teaches a method of packaging an optical sensing module including a lens and an optical sensor, comprising:

(a) receiving an image signal from the optical sensor; (*see par. 0143, where the input image is received*)

(b) extracting a portion of the image signal; (*see par. 0280, where a portion of the received input image signal is extracted*)

(c) calculating an FD of the portion of the image signal; (*see par. 0143, where calculating a distance between a lens and optical sensor is performed during the described "focusing" process as further indicated in par. 0184*)

(d) adjusting the distance between the lens and the optical sensor according to the FD, wherein the FD represents focus-value measure based on difference (*see par. 0184 where "focusing" further adjusting the distance between the lens and the optical sensor based on the current difference, as further detailed supra*); and

(e) packaging the lens and optical sensor into an integral part (*see par. 0184 where the lens and optical sensor are an integral part*).

Regarding claim 9 Hanabusa teaches the method of claim 7 wherein in step (d) adjusting the distance between the lens and the optical sensor involves adjusting the distance in a convergent way (*see par. 0184 where "focusing" further adjusting the distance between the lens and the optical sensor in a convergent way*).

#### ***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

7. Claims 1 and 3-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Venkat et al. U.S. 6,462,330 B1, hereinafter Venkat, in view of Nakayama et al. U.S. 6,148,097 A1, hereinafter Nakayama, for the reasons indicated in the previous Office action.

Regarding claim 1 Venkat teaches an automatic-packaging apparatus for packaging an optical sensing module including a lens and an optical sensor (*Venkat, Figs. 3-6, col. 3 lines 20-30*), comprising:

- a) a base for supporting the lens and the optical sensor, comprising an adjustment device for adjusting the distance between the lens and the optical sensor (*Venkat, where the base is shown in Fig. 3 item 48, and the adjustment device is shown in Fig. 4 item 50 as described in col. 3 lines 25-30*);
- b) a distance-adjusting module, coupled to the base and the image-analyzing module, for controlling the adjustment device to adjust the distance between the lens and the optical sensor (*Venkat, col. 3 lines 25-37, where the position of the lens is adjusted to achieve optimal distance between the lens and the optical sensor*); and
- c) a packaging module for packaging the lens and the optical sensor into an integral part (*Venkat, col. 3 lines 48-53, where the lens and optical sensor form an integral part*).

Venkat is silent on an image-analyzing module for analyzing an image signal received from the optical sensor and outputting an analyzed result used to adjust the distance between the lens and the optical sensor. However, Nakayama cures the aforementioned deficiencies of Venkat by teaching an image-analyzing module in the same endeavor that analyzes an image signal received from the optical sensor and outputs an analyzed result (*see Nakayama, col. 44 lines 33-64*). Therefore, it would have been obvious to a person having ordinary skill in the image processing arts at the time of the invention to modify Venkat's lens and sensor assembly to include the image-analyzing module as taught by Nakayama for the benefit of achieving a more robust distance-adjusting model that utilizes the result of the image-analyzing module.

Regarding claim 3 Nakayama teaches the automatic-packaging apparatus in claim 1 wherein the image-analyzing module is used to determine whether there are stains or broken points on the lens or on the optical sensor according to the image signal (*see Nakayama, col. 44 lines 33-64*).

Regarding claim 4 Nakayama teaches the automatic-packaging apparatus in claim 1 further comprising a stain-detecting module which is coupled to the base for determining whether there are stains or broken points on any one of the lens and on the optical sensor according to the image signal and a predetermined standard image (*see Nakayama, col. 44 lines 33-64*).

Regarding claim 5 Nakayama teaches the automatic-packaging apparatus in claim 4, wherein the stain-detecting module comprises a memory to store the predetermined standard image (*see Nakayama, col. 44 lines 33-64*).

Regarding claim 6 Nakayama teaches the automatic-packaging apparatus in claim 1 further comprising a memory built in the image-analyzing module for storing the image signal (*see Nakayama, col. 44 lines 33-64*).



8. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Venkat et al. U.S. 6,462,330 B1, in view of Nakayama et al. U.S. 6,148,097 A1, further in view of Choo, U.S. Pre-Grant Publication 2004/0017500 A1, hereinafter, Choo, for the reasons indicated in the previous Office action.

Regarding claim 2, Venkat in view of Nakayama teach the automatic-packaging apparatus in claim 1, as indicated re claim 1 supra, but both Venkat and Nakayama fail to disclose the apparatus wherein the distance-adjusting module comprises a motor. However, Choo cures the aforementioned deficiencies of Venkat and Nakayama by teaching an image-analyzing module in the same endeavor that includes a motor to adjust the lens distance with respect to the image sensor (*see Choo pars. 0033 thru 0035*).

Therefore, it would have been obvious to a person having ordinary skill in the image processing arts at the time of the invention to modify Venkat in view of Nakayama's lens and sensor assembly to include the distance-adjusting motor as taught by Choo for the benefit of achieving a more automated distance-adjusting model that utilizes a motor to adjust the distance between the lens and optical sensor.

9. Claims 8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hanabusa et al. U.S. Pre-Grant Publication 2002/0145752 A1, for the reasons indicated in the previous Office action.

Regarding claim 8 Hanabusa teaches the method of claim 7 but fails to further teach that calculating the FD comprises the steps: (c1) in the portion of the image signal, obtaining a square of a horizontal deviation  $Gx_{sup.2}$ , wherein  $Gx=g(x,y)-g(x+1,y)$ ; (c2) in the portion of the image signal, obtaining a square of a vertical deviation  $Gy_{sup.2}$ , wherein  $Gy=g(x,y)-g(x,y+1)$ ;

Art Unit: 2624

and (c3) calculating  $Gx_{sup.2} + Gy_{sup.2}$  and then obtaining the FD. However Official Notice is taken to note that the concept and benefit of using both horizontal and vertical deviation values (and their squares or sums) to determine a distance value between a lens and sensor is well known and expected in the art and therefore would have been obvious to incorporate into the lens defect detection method of Hanabusa for the benefit of a more accurate distance calculation utilizing the horizontal and vertical deviations of a portion of the input signal.

Regarding claim 10 Hanabusa teaches the method of claim 7 but fails to further teach adjusting the distance between the lens and the optical sensor desires to determine the distance rendering the maximum value of FD. However Official Notice is taken to note that the concept and benefit of using a maximum distance value between a lens and sensor is well known and expected in the art and therefore would have been obvious to incorporate into the lens defect detection method of Hanabusa for the benefit of a more accurate distance calculation.

*Conclusion*

10. **THIS ACTION IS MADE FINAL.** See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no, however, event will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

***Contact***

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steve Koziol whose telephone number is (571) 270-1844. The examiner can normally be reached on Monday - Friday 9:00 - 5:30 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samir Ahmed can be reached at (571) 272-7413 . Customer Service can be reached at (571) 272-2600. The fax number for the organization where this application or proceeding is assigned is (571) 273-7332.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

08/07/2008

/srk/

/Samir A. Ahmed/  
Supervisory Patent Examiner, Art Unit 2624